00100050026-3

TOP SECRET

OXC 9995 Copy 2

USAF Declass/Release Instructions On File

THIS DOCUMENT REQUIRES SPECIAL HANDLING

HANDLING PROCEDURES

THIS DOCUMENT CONTAINS INFORMATION REGARDING A HIGHLY CLASSIFIED ACTIVITY. PERMISSION TO TRANSFER CUSTODY, OR PERMIT ACCESS TO THIS DOCUMENT MUST BE OBTAINED FROM THE ORIGINATOR. HAND CARRY PROCEDURES WILL BE APPLIED TO ANY INTER-OFFICE OR INTRA-AGENCY MOVEMENT OF THIS DOCUMENT.

PROJECT OXCART

i i								
REFERRED TO	RECEIVED			RELEASED		SEEN BY		
OFFICE	SIGNATURE	DATE	TIME	DATE	TIME	NAME AND OFFICE SYMBOL	DATE	
OXC/OSA						P 2	3 Feb	
Om								
File	2-12	and the state of t			- nite		<u> </u>	- H (1)
								editori t to requir
	:							
	and the second s					**************************************	<u> </u>	

CLASSIFICATION

TOD

SECRET

TOP SECRET OXCART Approved For Resease 2001/08/28 : CIA-RDP71B00590R000760026-3 OXC 9995

ACCIDENT/INCIDENT REPORTING PROCEDURES

FOR

OXCART AIRCRAFT

A - 12

I. BASIC GUIDANCE:

- A. Project Headquarters Directive 50-3055-4, Emergency Procedures for non-operational A-12 flights, Section X1, pages 14 and 15.
- B. AFR 127-4 and reporting formats, amended as necessary to meet our needs.

II. METHODS OF REPORTING:

25X1A

- A. messages with Emergency precedence
- B. AF Form 711 (Formal Accident Report)

25X1A

C. OXCART TOP SECRET classification.

III. ADDRESSEES FOR REPORTS:

25X1A

- A. messages Project Headquarters
- B. AF Form 711 (Formal Report) Copy 1 DIG/SAFETY

" 2 ASD

(Acft 126)

- " 3 AFRDR
- " 4 Lockheed (C.L.Johnson)
- " 5 D/TECH/OSA
- " 6 OXC/OSA

25X1A

IV. METHOD OF DELIVERING REPORT:

- A. All copies to Project Headquarters.
- B Project Headquarters further distributes as required.

TOP SECRET Approved For Release 2001008/28/TCIA-RDP71B00590Ft009400050926-3 Page 2 OXC 9995

V. SIGNIFICANT EXCEPTIONS TO AFR 127-4:

- A. Extreme hold down on reporting.
- B. Accountability for aircraft involved in accident, i.e. ownership. We report "N/A"
- * Recommend no changes to our system be made.

OXCART TOP SECRET

Approved For Release 2001/08/28 : CIA-RDP71B00596Re00100050026-3

ACCIDENT/INCIDENT REPORTING PROCEDURES

FOR

25X1A

AIRCRAFT

SR-71/YF-12A

I. BASIC GUIDANCE:

- A. AFR-127-4
- B. Deviations authorized to AFR 127-4 by AFIAS-F letter dated 24 January 1966.
- 25X1A II. METHODS OF REPORTING:
 - A. Teletype messages over secure circuits.
 - B. AF Form 711 (Formal Accident Report)
- 25X1A C. security procedures.
 - III. ADDRESSEES FOR REPORTS:
- 25X1A
- A. (below) messages as outlined for AF Form 711
- B. AF Form 711 Copy 1 DIG/SAFETY
 - 2 AFTTC or 4200 SRW (depends on org. to which pilot is attached).
 - " 3 SAC (SR-71) or ADC (YF-12A)
 - " 4 ASD
 - " 5 AFRDR
 - " 6 15th AF (only if SR-71 involved)
- IV. METHOD OF DELIVERING REPORT:

Courier or airmail to addressees.

TOP SECRET

Approved For Release 2001/08/28^{C.A.} A-RDP71B00590R990 150030026-5 2 Page 2 OXC 9995

V. SIGNIFICANT EXCEPTIONS TO AFR 127-4:

- 25X1A
- A. aircraft considered "Air Force Aircraft" under all circumstances.
- B. No major or minor status. Only one status of "accident" for damage classified as minor or greater.
- C. Damage Criteria = 750 man hours or more accident
 750 man hours or less incident
- D. DIG/SAFETY assumes responsibility for investigation.
- E. Accountability for accidents are charged to USAF at large.
- F. Accident rates will not be computed.